

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	118553	display\$5 with name\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/20 15:55
S2	3873	display\$5 with name\$5 with attribut\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/20 15:56
S3	10392	display\$5 same name\$5 same attribut\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/20 15:56
S4	965	order\$5 with writ\$5 with print\$3 with (stor\$3 or storage or memory or memories or RAM or ROM)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/20 15:58
S5	23209	number\$5 with time\$3 with read\$3 with (stor\$3 or storage or memory or memories or RAM or ROM)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/20 16:00
S6	42315	number\$5 with (paper\$3 or sheet\$3) with print\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/20 16:00

S7	65481	S4 or S5 or S6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/20 16:01
S8	297	display\$5 with name\$5 with S7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/20 16:01
S9	736	display\$5 same name\$5 same S7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/20 16:01
S10	965	order\$5 with writ\$5 with print\$3 with (stor\$3 or storage or memory or memories or RAM or ROM)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/20 19:00
S11	23209	number\$5 with time\$3 with read\$3 with (stor\$3 or storage or memory or memories or RAM or ROM)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/20 19:00
S12	42315	number\$5 with (paper\$3 or sheet\$3) with print\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/20 19:00
S13	1547	(storage or store or storing or stored or memory or memor\$3 or RAM\$2) with (print\$3 adj (file\$2 or job\$2 or data or information\$2)) with (attribut\$5 or S10 or S11 or S12)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/20 19:01

S14	65481	S10 or S11 or S12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/20 19:02
S15	297	display\$5 with name\$5 with S14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/20 19:02
S16	19	(storage or store or storing or stored or memory or memor\$3 or RAM\$2) with (print\$3 adj (file\$2 or job\$2 or data or information\$2)) with (attribut\$5 or S10 or S11 or S12) and S15	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/20 19:02
S17	736	display\$5 same name\$5 same S14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/20 19:03
S18	50	(storage or store or storing or stored or memory or memor\$3 or RAM\$2) with (print\$3 adj (file\$2 or job\$2 or data or information\$2)) with (attribut\$5 or S10 or S11 or S12) and S17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/20 19:03
S19	22	(storage or store or storing or stored or memory or memor\$3 or RAM\$2) with (print\$3 adj (file\$2 or job\$2 or data or information\$2)) with (attribut\$5 or S10 or S11 or S12) same (display\$3 with name\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/20 19:04
S20	44	(storage or store or storing or stored or memory or memor\$3 or RAM\$2) with (print\$3 adj (file\$2 or job\$2 or data or information\$2)) with (attribut\$5 or identifier\$2 or ((creator\$3 or owner\$3 or user\$2) adj name\$2) or S10 or S11 or S12) same (display\$3 with name\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/20 19:56

S21	44	(storage or store or storing or stored or memory or memor\$3 or RAM\$2) with (print\$3 adj (file\$2 or job\$2 or data or information\$2)) with ((attribut\$5 or identifier\$2 or ((creator\$3 or owner\$3 or user\$2) adj name\$2) or S10 or S11 or S12) or (written\$3 near5 (storage or store or storing or stored or memory or RAM\$2))) same (display\$3 with name\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/20 19:59
S22	37256	(storage or store or storing or stored or memory or memor\$3 or RAM\$2) with (print\$3 adj (file\$2 or job\$2 or data or information\$2))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/20 20:00
S23	1246659	((attribut\$5 or identifier\$2 or ((creator\$3 or owner\$3 or user\$2) adj name\$2) or S10 or S11 or S12) or (written\$3 with (storage or store or storing or stored or memory or RAM\$2)) or (number \$3 with (page\$2 or sheet\$2 or paper\$2)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/20 20:03
S24	4629	S22 same S23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/20 20:04
S25	74	S22 same S23 same (display\$3 with name\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/20 20:05
S26	1509885	((attribut\$5 or identifier\$2 or ((creator\$3 or owner\$3 or user\$2) adj name\$2) or S10 or S11 or S12) or (written\$3 with (storage or store or storing or stored or memory or RAM\$2)) or (number \$3 with (page\$2 or sheet\$2 or paper\$2)) or (number\$3 with read\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/20 20:06
S27	5054	S22 same S26	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/20 20:07

S28	78	S22 same S26 same (display\$3 with name\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/20 20:08
S29	1536417	((attribut\$5 or identifier\$2 or ((creator\$3 or owner\$3 or user\$2) adj name\$2) or S10 or S11 or S12) or (written\$3 with (storage or store or storing or stored or memory or RAM\$2)) or (number \$3 with (page\$2 or sheet\$2 or paper\$2)) or (number\$3 with (read\$3 or retriev\$3)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/20 20:09
S30	16878	S22 and S29	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/20 20:10
S31	939	S22 and S29 same (display\$3 with name\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/20 20:10
S32	5135	S22 same S29	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/20 20:11
S33	80	S22 same S29 same (display\$3 with name\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/20 20:12
S34	26196	(358/1.15,1.14,1.13,1.16,1.17,1.18,1.1,1.6,1.9,407,468,404,444,1.2).COLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/20 23:02

S35	3332	(347/2,3,5,14).OCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/20 23:03
S36	5217	(399/1,8).OCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/20 23:04
S37	3181	(715/273,274,275,764).OCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/20 23:05
S38	4414	(345/156).OCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/20 23:06
S39	41823	S34 or S35 or S36 or S37 or S38	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/20 23:07
S40	3873	display\$5 with name\$5 with attribut\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/20 23:07
S41	211	S39 and S40	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/20 23:07

S42	10392	display\$5 same name\$5 same attribut\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/20 23:08
S43	468	S39 and S42	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/20 23:08
S44	965	order\$5 with writ\$5 with print\$3 with (stor\$3 or storage or memory or memories or RAM or ROM)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/20 23:08
S45	245	S39 and S44	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/20 23:08
S46	23209	number\$5 with time\$3 with read\$3 with (stor\$3 or storage or memory or memories or RAM or ROM)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/20 23:09
S47	42315	number\$5 with (paper\$3 or sheet\$3) with print\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/20 23:09
S48	65481	S44 or S46 or S47	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/20 23:09

S49	297	display\$5 with name\$5 with S48	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/20 23:09
S50	61	S39 and S49	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/20 23:09
S51	736	display\$5 same name\$5 same S48	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/20 23:10
S52	163	S39 and S51	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/20 23:10
S53	965	order\$5 with writ\$5 with print\$3 with (stor\$3 or storage or memory or memories or RAM or ROM)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/20 23:11
S54	23209	number\$5 with time\$3 with read\$3 with (stor\$3 or storage or memory or memories or RAM or ROM)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/20 23:11
S55	42315	number\$5 with (paper\$3 or sheet\$3) with print\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/20 23:11

S56	1547	(storage or store or storing or stored or memory or memor\$3 or RAM\$2) with (print\$3 adj (file\$2 or job\$2 or data or information\$2)) with (attribut\$5 or S53 or S54 or S55)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/20 23:11
S57	1622	S39 and S56	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/20 23:11
S58	1965	order\$5 with writ\$5 with print\$3 with (stor\$3 or storage or memory or memories or RAM or ROM)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 06:45
S59	23228	number\$5 with time\$3 with read\$3 with (stor\$3 or storage or memory or memories or RAM or ROM)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 06:45
S60	42345	number\$5 with (paper\$3 or sheet\$3) with print\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 06:45
S61	65528	S58 or S59 or S60	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 06:45
S62	297	display\$5 with name\$5 with S61	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 06:45

S63	26227	(358/1.15,1.14,1.13,1.16,1.17,1.18,1.1,1.6,1.9,407,468,404,444,1.2).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/21 06:45
S64	3333	(347/2,3,5,14).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/21 06:45
S65	5217	(399/1,8).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/21 06:45
S66	3184	(715/273,274,275,764).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/21 06:45
S67	4416	(345/156).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/21 06:45
S68	41860	S63 or S64 or S65 or S66 or S67	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 06:45
S69	61	S68 and S62	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 06:45

S70	19	(storage or store or storing or stored or memory or memor\$3 or RAM\$2) with (print\$3 adj (file\$2 or job\$2 or data or information\$2)) with (attribut\$5 or S58 or S59 or S60) and S62	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 06:47
S71	11	S68 and S70	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 06:47
S72	736	display\$5 same name\$5 same S61	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 06:47
S73	163	S68 and S72	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 06:47
S74	50	(storage or store or storing or stored or memory or memor\$3 or RAM\$2) with (print\$3 adj (file\$2 or job\$2 or data or information\$2)) with (attribut\$5 or S58 or S59 or S60) and S72	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 06:48
S75	27	S68 and S74	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 06:48
S76	22	(storage or store or storing or stored or memory or memor\$3 or RAM\$2) with (print\$3 adj (file\$2 or job\$2 or data or information\$2)) with (attribut\$5 or S58 or S59 or S60) same (display\$3 with name\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 06:49

S77	12	S68 and S76	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 06:49
S78	44	(storage or store or storing or stored or memory or memor\$3 or RAM\$2) with (print\$3 adj (file\$2 or job\$2 or data or information\$2)) with (attribut\$5 or identifier\$2 or ((creator\$3 or owner\$3 or user\$2) adj name\$2) or S58 or S59 or S60) same (display\$3 with name\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 06:49
S79	25	S68 and S78	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 06:49
S80	44	(storage or store or storing or stored or memory or memor\$3 or RAM\$2) with (print\$3 adj (file\$2 or job\$2 or data or information\$2)) with ((attribut\$5 or identifier\$2 or ((creator\$3 or owner\$3 or user\$2) adj name\$2) or S58 or S59 or S60) or (written\$3 near5 (storage or store or storing or stored or memory or RAM\$2))) same (display\$3 with name\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 06:50
S81	25	S68 and S80	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 06:50
S82	37296	(storage or store or storing or stored or memory or memor\$3 or RAM\$2) with (print\$3 adj (file\$2 or job\$2 or data or information\$2))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 06:51
S83	1247873	((attribut\$5 or identifier\$2 or ((creator\$3 or owner\$3 or user\$2) adj name\$2) or S58 or S59 or S60) or (written\$3 with (storage or store or storing or stored or memory or RAM\$2)) or (number \$3 with (page\$2 or sheet\$2 or paper\$2)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 06:51

S84	4635	S82 same S83	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 06:51
S85	1730	S68 and S84	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 06:51
S86	74	S82 same S83 same (display\$3 with name\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 07:58
S87	41	S68 and S86	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 07:58
S88	1511250	((attribut\$5 or identifier\$2 or ((creator\$3 or owner\$3 or user\$2) adj name\$2) or S58 or S59 or S60) or (written\$3 with (storage or store or storing or stored or memory or RAM\$2)) or (number \$3 with (page\$2 or sheet\$2 or paper\$2)) or (number\$3 with read\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 07:59
S89	5060	S82 same S88	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 07:59
S90	1819	S68 and S89	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 07:59

S91	78	S82 same S88 same (display\$3 with name\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 08:00
S92	42	S68 and S91	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 08:00
S93	1537806	((attribut\$5 or identifier\$2 or ((creator\$3 or owner\$3 or user\$2) adj name\$2) or S58 or S59 or S60) or (written\$3 with (storage or store or storing or stored or memory or RAM\$2)) or (number\$3 with (page\$2 or sheet\$2 or paper\$2)) or (number\$3 with (read\$3 or retriev\$3)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 08:00
S94	16910	S82 and S93	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 08:00
S95	5884	S68 and S94	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 08:00
S96	939	S82 and S93 same (display\$3 with name\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 08:01
S97	455	S68 and S96	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 08:01

S98	5142	S82 same S93	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 08:02
S99	1836	S68 and S98	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 08:02
S100	80	S82 same S93 same (display\$3 with name\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 08:02
S101	965	order\$5 with writ\$5 with print\$3 with (stor\$3 or storage or memory or memories or RAM or ROM)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 10:54
S102	23228	number\$5 with time\$3 with read\$3 with (stor\$3 or storage or memory or memories or RAM or ROM)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 10:54
S103	42345	number\$5 with (paper\$3 or sheet\$3) with print\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 10:54
S104	65528	S101 or S102 or S103	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 10:54

S105	297	display\$5 with name\$5 with S104	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 10:54
S106	26227	(358/1.15,1.14,1.13,1.16,1.17,1.18,1.1,1.6,1.9,407,468,404,444,1.2).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/21 10:54
S107	3333	(347/2,3,5,14).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/21 10:54
S108	5217	(399/1,8).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/21 10:54
S109	3184	(715/273,274,275,764).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/21 10:54
S110	4416	(345/156).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/21 10:54
S111	41860	S106 or S107 or S108 or S109 or S110	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 10:54

S112	19	(storage or store or storing or stored or memory or memor\$3 or RAM\$2) with (print\$3 adj (file\$2 or job\$2 or data or information\$2)) with (attribut\$5 or S101 or S102 or S103) and S105	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 10:54
S113	11	S111 and S112	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 10:54
S114	965	order\$5 with writ\$5 with print\$3 with (stor\$3 or storage or memory or memories or RAM or ROM)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 10:57
S115	23228	number\$5 with time\$3 with read\$3 with (stor\$3 or storage or memory or memories or RAM or ROM)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 10:57
S116	42345	number\$5 with (paper\$3 or sheet\$3) with print\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 10:57
S117	44	(storage or store or storing or stored or memory or memor\$3 or RAM\$2) with (print\$3 adj (file\$2 or job\$2 or data or information\$2)) with ((attribut\$5 or identifier\$2 or ((creator\$3 or owner\$3 or user\$2) adj name\$2) or S114 or S115 or S116) or (written\$3 near5 (storage or store or storing or stored or memory or RAM\$2))) same (display\$3 with name\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 10:57
S118	25	S111 and S117	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 10:57

S119	37296	(storage or store or storing or stored or memory or memor\$3 or RAM\$2) with (print\$3 adj (file\$2 or job\$2 or data or information\$2))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 11:01
S120	1537806	((attribut\$5 or identifier\$2 or ((creator\$3 or owner\$3 or user\$2) adj name\$2) or S101 or S102 or S103) or (written\$3 with (storage or store or storing or stored or memory or RAM\$2)) or (number\$3 with (page\$2 or sheet\$2 or paper\$2)) or (number\$3 with (read\$3 or retriev\$3)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 11:01
S121	80	S119 same S120 same (display\$3 with name\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 11:01
S122	42	S111 and S121	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 11:01

8/ 21/ 2008 12:15:29 PM

C:\Documents and Settings\dpopovici\My Documents\EAST\Workspaces\10529768.08202008.1.wsp